

## Klüberplex BEM 41-132

Version 1.0

Revision Date 06.08.2014

Print Date 06.08.2014

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : Klüberplex BEM 41-132

Article-No. : 020256

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Grease

#### 1.3 Details of the supplier of the safety data sheet

KLÜBER LUBRICATION MÜNCHEN  
Geisenhausenerstrasse 7  
D-81379 München  
Deutschland  
Tel: +49 (0) 897876-0  
Fax: +49 (0) 897876-333

E-mail address : mcm@klueber.com  
Responsible/issuing person : Material Compliance Management

National contact : Klüber Lubrication Great Britain Ltd.  
Hough Mills, Northowram  
Halifax, HX3 7BN  
Great Britain  
Tel: +44-1422-205115  
Fax: +44-1422-206073  
sales@uk.klueber.com

#### 1.4 Emergency telephone number

0049 (0) 897876-700 (24hrs)

---

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture.

**Classification (67/548/EEC, 1999/45/EC)**

Not a hazardous substance or mixture.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture.

## Klüberplex BEM 41-132

Version 1.0

Revision Date 06.08.2014

Print Date 06.08.2014

### Additional Labelling:

EUH210 Safety data sheet available on request.

### 2.3 Other hazards

## 3. Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Mineral oil.  
Synthetic hydrocarbon oil  
special lithium soap

### Hazardous components

Chemical Name	CAS-No. EC-No. Index-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
O,O,O-triphenyl phosphorothioate	597-82-0 209-909-9	R53	Aquatic Chronic 4; H413	>= 1 - < 2.5
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1 270-128-1	R52/53	Aquatic Chronic 3; H412	>= 1 - < 2.5

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. First aid measures

### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
In case of contact, immediately flush skin with plenty of water.
- In case of eye contact : If eye irritation persists, consult a specialist.  
Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
- If swallowed : Do not induce vomiting without medical advice.  
Get medical attention if symptoms occur.
- : Move the victim to fresh air.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

## Klüberplex BEM 41-132

Version 1.0

Revision Date 06.08.2014

Print Date 06.08.2014

Risks : None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

---

## 5. Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : none

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Fire may cause evolution of:  
Carbon oxides  
Metal oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Oxides of phosphorus  
Sulphur oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. In the case of respirable dust and/or fumes, use self-contained breathing apparatus. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

---

## 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Avoid breathing dust. Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and materials for containment and cleaning up

## Klüberplex BEM 41-132

Version 1.0

Revision Date 06.08.2014

Print Date 06.08.2014

Methods for cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## 7. Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
To maintain product quality, do not store in heat or direct sunlight.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

### 7.3 Specific end use(s)

: Consult the technical guidelines for the use of this substance/mixture.

---

## 8. Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards.  
It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.  
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).  
none

#### Personal protective equipment

## Klüberplex BEM 41-132

Version 1.0

Revision Date 06.08.2014

Print Date 06.08.2014

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- Hand protection : For prolonged or repeated contact use protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
- Eye protection : Tightly fitting safety goggles  
Safety glasses with side-shields conforming to EN166
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

### Environmental exposure controls

- General advice : Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

---

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Form : paste
- Colour : yellow
- Odour : characteristic
- Odour Threshold : No data available
- pH : No data available
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : not applicable
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Lower explosion limit : No data available

## Klüberplex BEM 41-132

Version 1.0

Revision Date 06.08.2014

Print Date 06.08.2014

Upper explosion limit	: No data available
Vapour pressure	: < 0.001 hPa, 20 °C
Relative vapour density	: No data available
Density	: 0.90 g/cm <sup>3</sup> , 20 °C
Water solubility	: insoluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Ignition temperature	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

### 9.2 Other information

Sublimation point	: No data available
Bulk density	: No data available

---

## 10. Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

Hazardous decomposition products : No decomposition if stored and applied as directed.

---

## 11. Toxicological information

### 11.1 Information on toxicological effects

#### Product

Acute inhalation toxicity : This information is not available.

## Klüberplex BEM 41-132

Version 1.0

Revision Date 06.08.2014

Print Date 06.08.2014

Skin corrosion/irritation	: This information is not available.
Serious eye damage/eye irritation	: This information is not available.
Respiratory or skin sensitisation	: This information is not available.
Germ cell mutagenicity	
Genotoxicity in vitro	: No data available
Genotoxicity in vivo	: No data available
Carcinogenicity	: No data available
Reproductive toxicity	: No data available
Teratogenicity	: No data available
Repeated dose toxicity	: This information is not available.
Aspiration toxicity	: This information is not available.
Further information	: Information given is based on data on the components and the toxicology of similar products.

### **Components:**

#### **O,O,O-triphenyl phosphorothioate :**

Acute oral toxicity	: LD50: > 2,000 mg/kg, rat
Skin corrosion/irritation	: rabbit, Result: No skin irritation, Classification: No skin irritation
Serious eye damage/eye irritation	: rabbit, Result: No eye irritation, Classification: No eye irritation
Respiratory or skin sensitisation	: Classification: Does not cause skin sensitisation.
Aspiration toxicity	: No aspiration toxicity classification

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene :**

Acute oral toxicity	: LD50: > 5,000 mg/kg, rat, OECD Test Guideline 401
Acute dermal toxicity	: LD50: > 2,000 mg/kg, rat, OECD Test Guideline 402
Skin corrosion/irritation	: rabbit, Result: No skin irritation, Classification: No skin irritation
Serious eye damage/eye irritation	: rabbit, Result: No eye irritation, Classification: No eye irritation
Respiratory or skin sensitisation	: guinea pig, Result: Did not cause sensitisation on laboratory animals., OECD Test Guideline 406

---

## 12. Ecological information

### 12.1 Toxicity

#### **Product:**

## Klüberplex BEM 41-132

Version 1.0

Revision Date 06.08.2014

Print Date 06.08.2014

Toxicity to fish	:	No data available
Toxicity to daphnia and other aquatic invertebrates	:	No data available
Toxicity to algae	:	No data available
Toxicity to bacteria	:	No data available

### **Components:**

#### **O,O,O-triphenyl phosphorothioate :**

Toxicity to fish	:	LC50: > 100 mg/l, 96 h, Brachydanio rerio (zebrafish), OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50: > 100 mg/l, 48 h, Daphnia magna (Water flea), Immobilization, OECD 202 T1
Toxicity to algae	:	EC50: > 100 mg/l, 72 h, Desmodesmus subspicatus (green algae), OECD Test Guideline 201
Toxicity to bacteria	:	EC50: > 100 mg/l, 3 h, activated sludge, OECD 209

### **Ecotoxicology Assessment**

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene :**

Toxicity to fish	:	LC50: > 100 mg/l, 96 h, Danio rerio (zebra fish), OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50: 51 mg/l, 48 h, Daphnia magna (Water flea), Immobilization, OECD 202 T1

### **Ecotoxicology Assessment**

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

## 12.2 Persistence and degradability

### **Product:**

Biodegradability	:	No data available
Physico-chemical removability	:	No data available

### **Components:**

#### **O,O,O-triphenyl phosphorothioate :**

Biodegradability	:	Result: not rapidly biodegradable, OECD
------------------	---	---

## 12.3 Bioaccumulative potential

### **Product:**



## Klüberplex BEM 41-132

Version 1.0

Revision Date 06.08.2014

Print Date 06.08.2014

Bioaccumulation : This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)., This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Components:**

**O,O,O-triphenyl phosphorothioate :**

Bioaccumulation : Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene :**

Bioaccumulation : Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

### 12.4 Mobility in soil

**Product:**

Mobility : No data available

Distribution among : No data available

environmental compartments

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Components:**

**O,O,O-triphenyl phosphorothioate :**

Assessment : This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

### 12.6 Other adverse effects

**Product:**

Additional ecological information : No information on ecology is available.

---

## 13. Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

: Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Empty containers can be landfilled, when in accordance with the local regulations.

## Klüberplex BEM 41-132

Version 1.0

Revision Date 06.08.2014

Print Date 06.08.2014

---

### 14. Transport information

#### 14.1 UN number

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

#### 14.2 Proper shipping name

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

#### 14.3 Transport hazard class

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

#### 14.4 Packing group

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

#### 14.5 Environmental hazards

**ADR**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

#### 14.6 Special precautions for user

No data available

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available

---

### 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of : This product does not contain substances of very high

## **Klüberplex BEM 41-132**

Version 1.0

Revision Date 06.08.2014

Print Date 06.08.2014

Substances of Very High Concern for Authorisation (Article 59).

concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Major Accident Hazard Legislation

: 96/82/EC Update:  
not applicable

### **15.2 Chemical Safety Assessment**

This information is not available.

---

### **16. Other information**

#### **Full text of R-phrases referred to under sections 2 and 3**

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R53 May cause long-term adverse effects in the aquatic environment.

#### **Full text of H-Statements referred to under sections 2 and 3.**

H412 Harmful to aquatic life with long lasting effects.  
H413 May cause long lasting harmful effects to aquatic life.

This safety datasheet applies only to products originally packaged and labelled by KLÜBER LUBRICATION. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of KLÜBER LUBRICATION. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent. KLÜBER LUBRICATION provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing on safety datasheets and any amendments contained therein to its own customers, employees and other users of the product. KLÜBER LUBRICATION provides no guarantee that safety datasheets received by users from third parties are up-to-date. All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the information available to us. The data provided are intended to describe the product in relation to the required safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.