

Safety Data Sheet



Stock Number: MAG60138
Date of the latest revision of the safety data sheet: 23-02-2022
13-12-2021
Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

1 Identification

Product Identifier: **M AG 1 UNIV 2-CYCLE 12/ 8OZ**
Stock Number: MAG60138

Other means of identification:

Synonyms: No data available

Recommended use and restrictions on use:

Recommended use: Lubricants and performance fluids for the automotive industry

Restrictions on use: Uses other than those described above

Initial Supplier Identifier:

Highline Warren LLC
4500 Malone Road
Memphis, TN 38118

Tel No.: +01 (901) 437-8615

Email: sds@highlinewarren.com

Emergency telephone number and any restrictions on the use of that number, if applicable:

CHEM TREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2 Hazard identification

Classification of the hazardous product:

Carcinogenicity Category 1B

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 1

Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 1

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3 Respiratory Tract Irritation

GHS Hazard class symbols:



Signal word:

Danger

Hazard statements:

May cause respiratory irritation. May cause cancer. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure.

Precautionary statements:

Prevention:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Safety Data Sheet



Stock Number: MAG60138
 Date of the latest revision of the safety data sheet: 23-02-2022
 13-12-2021
 Supercedes:

MAG 1 UNIV 2-CYCLE 12/ 8OZ

Response: IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed or concerned: Call a POISON CENTER/doctor. IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see on this label).

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal: Dispose of contents/container to a suitable disposal site in accordance with local/national/international regulations.

Other hazards known to the supplier with respect to the hazardous product:

Physical hazards not otherwise classified None known.

Health hazards not otherwise classified None known.

3 Composition/ information on ingredients

Chemical Name	Common name and synonyms	CAS registry number and any unique identifiers	Concentration
Distillates, petroleum, solvent-dewaxed light paraffinic	No data available		0.1 - 1
Naphthalene	No data available	91-20-3	0.1 - 1
Light hydrocracked distillate	No data available	64741-77-1	1 - 5
Kerosine, petroleum, hydrodesulfurized	No data available	64742-81-0	1 - 5
Residual oils, petroleum, solvent-dewaxed	No data available	64742-62-7	5 - 10
Kerosene	No data available	8008-20-6	5 - 10
Distillates, petroleum, hydrodesulfurized middle	No data available	64742-80-9	5 - 10
Distillates, petroleum, hydrodesulfurized light catalytic cracked	No data available	68333-25-5	5 - 10
Distillates, petroleum, straight-run middle	No data available	64741-44-2	5 - 10
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	65 - 85

4 First-aid measures

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual

Safety Data Sheet



Stock Number: MAG60138
Date of the latest revision of the 23-02-2022
safety data sheet: 13-12-2021
Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

Eye contact: administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately. Flush immediately with large amounts of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Get medical attention if irritation results. Thermal burns require immediate medical attention.

Skin Contact: Remove contaminated clothing immediately. Wash area of contact thoroughly with soap and water. Get medical attention if irritation persists. High pressure skin injections are serious medical emergencies. Get immediate medical attention. Thermal burns require immediate medical attention.

Ingestion: Seek medical attention immediately or call the Poison control center. Do not induce vomiting. If patient is fully conscious, give up to two glasses of water. Provide medical care provider with this SDS.

The most important symptoms and effects, whether acute or delayed: Drowsiness. Dizziness. Severe pulmonary irritation

An indication of immediate medical attention and special treatment needed, if necessary: In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption. Consideration should be given to the use of an endotracheal tube, to prevent aspiration. Individuals intoxicated by middle distillates should be hospitalized immediately, with acute and continuing attention to neurologic and cardiopulmonary function. Positive pressure ventilation may be necessary. After the initial episode, individuals should be followed for changes in blood variables and the delayed appearance of pulmonary edema and chemical pneumonitis. Such patients should be followed for several days or weeks for delayed effects, including bone marrow toxicity, hepatic, and renal impairment. Individuals with chronic pulmonary disease will be more seriously impaired, and recovery from inhalation exposure may be complicated. Avoid emesis unless a large amount has been ingested or it contains a toxic additive. Gastric lavage after endotracheal intubation should be reserved for a patient who requires GI decontamination and is lethargic or obtunded. Safe use of activated charcoal and cathartic should be considered if ingested. Mineral oil cathartics should not be given to patients. Saline cathartics or sorbatol is preferable. In case of skin injection, prompt debridement of the wound is necessary to minimize necrosis and tissue loss. Aspiration during swallowing or vomiting may severely damage the lungs.

5 Fire-fighting measures

Suitable extinguishing media:

Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may

Safety Data Sheet



Stock Number: MAG60138
 Date of the latest revision of the safety data sheet: 23-02-2022
 13-12-2021
 Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

Unsuitable extinguishing media:

be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
 No data available

Specific hazards arising from the hazardous product, such as the nature of any hazardous combustion:

Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.

Hazardous Combustion Products:

Carbon dioxide, Carbon monoxide

Special protective equipment and precautions for firefighters:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material. Gather and store in a sealed container pending a waste disposal evaluation.

7 Handling and storage

Precautions for safe handling:

Mildly irritating material. Avoid unnecessary exposure.

Conditions for safe storage:

Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/ Chemical Incompatibility:

Strong oxidizing agents

8 Exposure controls/ personal protection

Control parameters, including occupational exposure limit values or biological limit values and the source of those values:

Canada – Alberta – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m ³ TWA	10 mg/m ³ STEL	No data available
Kerosene	200 mg/m ³ TWA (as total Hydrocarbon vapour)	No data available	No data available
Kerosine, petroleum,	200 mg/m ³ TWA (as	No data available	No data available

Safety Data Sheet



Stock Number: MAG60138
 Date of the latest revision of the safety data sheet: 23-02-2022
 safety data sheet: 13-12-2021
 Supercedes:

MAG 1 UNIV 2-CYCLE 12/ 8OZ

hydrodesulfurized	total Hydrocarbon vapour)		
Naphthalene	10 ppm TWA; 52 mg/m ³ TWA	15 ppm STEL; 79 mg/m ³ STEL	No data available

Canada – British Columbia– Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	0.2 mg/m ³ TWA (mildly refined); 1 mg/m ³ TWA (severely refined)	No data available	No data available
Kerosene	200 mg/m ³ TWA (application restricted to conditions in which there are negligible aerosol exposures, as total Hydrocarbon vapour)	No data available	No data available
Kerosine, petroleum, hydrodesulfurized	No data available	No data available	No data available
Naphthalene	10 ppm TWA	No data available	No data available

Canada – Manitoba – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m ³ TWA	No data available	No data available
Kerosene	200 mg/m ³ TWA (application restricted to conditions in which there are negligible aerosol exposures, total Hydrocarbon vapor, listed under Kerosene/ Jet fuels)	No data available	No data available
Kerosine, petroleum, hydrodesulfurized	200 mg/m ³ TWA (application restricted to conditions in which there are negligible aerosol exposures,	No data available	No data available

Safety Data Sheet



Stock Number: MAG60138
Date of the latest revision of the 23-02-2022
safety data sheet: 13-12-2021
Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

	total Hydrocarbon vapor, listed under Kerosene/ Jet fuels)		
Naphthalene	10 ppm TWA	No data available	No data available

Canada – New Brunswick – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m ³ TWA	10 mg/m ³ STEL	No data available
Kerosene	No data available	No data available	No data available
Kerosine, petroleum, hydrodesulfurized	No data available	No data available	No data available
Naphthalene	10 ppm TWA; 52 mg/m ³ TWA	15 ppm STEL; 79 mg/m ³ STEL	No data available

Canada – Newfoundland & Labrador – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m ³ TWA	No data available	No data available
Kerosene	200 mg/m ³ TWA (application restricted to conditions in which there are negligible aerosol exposures, total Hydrocarbon vapor, listed under Kerosene/ Jet fuels)	No data available	No data available
Kerosine, petroleum, hydrodesulfurized	200 mg/m ³ TWA (application restricted to conditions in which there are negligible aerosol exposures, total Hydrocarbon vapor, listed under Kerosene/ Jet fuels)	No data available	No data available
Naphthalene	10 ppm TWA	No data available	No data available

Canada – Northwest Territories – Occupational Exposure Limits:

Chemical Name	Occupational	Occupational	Occupational
---------------	--------------	--------------	--------------

Safety Data Sheet



Stock Number: MAG60138
 Date of the latest revision of the safety data sheet: 23-02-2022
 safety data sheet: 13-12-2021
 Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

	Exposure Limits - TWAs	Exposure Limits - STELs	Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m ³ TWA	10 mg/m ³ STEL	No data available
Kerosene	200 mg/m ³ TWA (as total Hydrocarbon vapour, listed under Kerosene/ Jet fuels)	250 mg/m ³ STEL (as total Hydrocarbon vapour, listed under Kerosene/ Jet fuels)	No data available
Kerosine, petroleum, hydrodesulfurized	200 mg/m ³ TWA (as total Hydrocarbon vapour, listed under Kerosene/ Jet fuels)	250 mg/m ³ STEL (as total Hydrocarbon vapour, listed under Kerosene/ Jet fuels)	No data available
Naphthalene	10 ppm TWA	15 ppm STEL	No data available

Canada – Nova Scotia – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m ³ TWA	No data available	No data available
Kerosene	200 mg/m ³ TWA (application restricted to conditions in which there are negligible aerosol exposures, total Hydrocarbon vapor, listed under Kerosene/ Jet fuels)	No data available	No data available
Kerosine, petroleum, hydrodesulfurized	200 mg/m ³ TWA (application restricted to conditions in which there are negligible aerosol exposures, total Hydrocarbon vapor, listed under Kerosene/ Jet fuels)	No data available	No data available
Naphthalene	10 ppm TWA	No data available	No data available

Canada – Nunavut – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates,	5 mg/m ³ TWA	10 mg/m ³ STEL	No data available

Safety Data Sheet



Stock Number: MAG60138
 Date of the latest revision of the safety data sheet: 23-02-2022
 safety data sheet: 13-12-2021
 Supercedes:

MAG 1 UNIV 2-CYCLE 12/ 8OZ

hydrotreated heavy paraffinic			
Kerosene	200 mg/m ³ TWA (as total Hydrocarbon vapour, listed under Kerosene/ Jet fuels)	250 mg/m ³ STEL (as total Hydrocarbon vapour, listed under Kerosene/ Jet fuels)	No data available
Kerosine, petroleum, hydrodesulfurized	200 mg/m ³ TWA (as total Hydrocarbon vapour, listed under Kerosene/ Jet fuels)	250 mg/m ³ STEL (as total Hydrocarbon vapour, listed under Kerosene/ Jet fuels)	No data available
Naphthalene	10 ppm TWA	15 ppm STEL	No data available

Canada – Ontario – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m ³ TWA	No data available	No data available
Kerosene	200 mg/m ³ TWA (restricted to conditions where there is negligible aerosol exposure, as total hydrocarbon vapour, listed under Kerosene/ Jet fuels)	No data available	No data available
Kerosine, petroleum, hydrodesulfurized	200 mg/m ³ TWA (restricted to conditions where there is negligible aerosol exposure, as total hydrocarbon vapour, listed under Kerosene/ Jet fuels)	No data available	No data available
Naphthalene	10 ppm TWA	No data available	No data available

Canada – Prince Edward Island – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m ³ TWA	No data available	No data available
Kerosene	200 mg/m ³ TWA (application restricted)	No data available	No data available

Safety Data Sheet



Stock Number: MAG60138
 Date of the latest revision of the safety data sheet: 23-02-2022
 safety data sheet: 13-12-2021
 Supercedes:

MAG 1 UNIV 2-CYCLE 12/ 8OZ

	to conditions in which there are negligible aerosol exposures, total Hydrocarbon vapor, listed under Kerosene/ Jet fuels)		
Kerosine, petroleum, hydrodesulfurized	200 mg/m ³ TWA (application restricted to conditions in which there are negligible aerosol exposures, total Hydrocarbon vapor, listed under Kerosene/ Jet fuels)	No data available	No data available
Naphthalene	10 ppm TWA	No data available	No data available

Canada – Quebec – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAEVs	Occupational Exposure Limits - STEVs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	No data available	No data available	No data available
Kerosene	No data available	No data available	No data available
Kerosine, petroleum, hydrodesulfurized	No data available	No data available	No data available
Naphthalene	10 ppm TWAEV	No data available	No data available

Canada – Saskatchewan – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m ³ TWA	10 mg/m ³ STEL	No data available
Kerosene	200 mg/m ³ TWA (as total hydrocarbon vapour)	250 mg/m ³ STEL (as total hydrocarbon vapour)	No data available
Kerosine, petroleum, hydrodesulfurized	200 mg/m ³ TWA (as total hydrocarbon vapour, listed under Kerosene/ Jet fuels)	250 mg/m ³ STEL (as total hydrocarbon vapour, listed under Kerosene/ Jet fuels)	No data available
Naphthalene	10 ppm TWA	15 ppm STEL	No data available

Safety Data Sheet



Stock Number: MAG60138
 Date of the latest revision of the safety data sheet: 23-02-2022
 safety data sheet: 13-12-2021
 Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

Canada - Yukon – Occupational Exposure Limits:

Chemical Name	Occupational Exposure Limits - TWAs	Occupational Exposure Limits - STELs	Occupational Exposure Limits - Ceiling
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m ³ TWA	10 mg/m ³ STEL	No data available
Kerosene	No data available	No data available	No data available
Kerosine, petroleum, hydrodesulfurized	No data available	No data available	No data available
Naphthalene	10 ppm TWA; 50 mg/m ³ TWA	15 ppm STEL; 75 mg/m ³ STEL	No data available

Chemical Name	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	IDLH
Petroleum distillates, hydrotreated heavy paraffinic	5 mg/m ³ TWA	5 mg/m ³ TWA	10 mg/m ³ STEL	No data available
Kerosene	No PEL	200 mg/m ³ TWA (application restricted to conditions in which there are negligible aerosol exposures, total hydrocarbon vapor, listed under Kerosene/ Jet fuels)	No STEL	No data available
Kerosine, petroleum, hydrodesulfurized	No PEL	200 mg/m ³ TWA (application restricted to conditions in which there are negligible aerosol exposures, total hydrocarbon vapor, listed under Kerosene/ Jet fuels)	No STEL	No data available
Naphthalene	10 ppm TWA; 50 mg/m ³ TWA	10 ppm TWA	No STEL	250 ppm IDLH

Safety Data Sheet



Stock Number: MAG60138
Date of the latest revision of the safety data sheet: 23-02-2022
13-12-2021
Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

Appropriate engineering controls:	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.
Individual protection measures, such as personal protective equipment:	
Respiratory Protection:	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.
Respirator Type(s):	If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Eye and face protection:	Wear safety glasses when handling this product if there is a likelihood of contact with eyes.
Skin Protection:	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Hand protection:	Neoprene, Nitrile
General hygiene conditions:	Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

9 Physical and chemical properties

Physical state:	Liquid
Colour:	Amber
Odour:	Mild
Odour threshold:	Not determined
pH:	No data available
Melting point (°C):	No data available
Freezing point (°C):	No data available
Initial boiling point and boiling range (°C):	No data available
Flash point (°C):	218
Evaporation rate:	No data available
Flammability, in the case of solids and gases:	No data available
Upper flammable or explosive limit, % in air:	Not established
Lower flammable or explosive limit, %	Not established

Safety Data Sheet



Stock Number: MAG60138
Date of the latest revision of the safety data sheet: 23-02-2022
13-12-2021
Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

in air:
Vapour pressure: > 3 MMHG
Vapour density: 4.42
Relative density: 0.87
Solubility: Negligible; 0-1%
Partition coefficient — n-octanol/ water: 3.3

Auto-ignition temperature (°C): No data available
Decomposition temperature (°C): Not determined
Viscosity: 51.58

10 Stability and reactivity

Reactivity: There are no known reactivity hazards associated with this product.
Chemical stability: Stable under normal conditions.
Possibility of hazardous reactions: None expected under standard conditions of storage.
Conditions to avoid, including static discharge, shock or vibration: Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.
Moisture (will lead to product performance degradation).
Incompatible materials: Strong oxidizing agents
Hazardous decomposition products: No data available

11 Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact): Eye contact, Ingestion, Inhalation, Skin contact

Symptoms related to the physical, chemical and toxicological characteristics: Drowsiness. Dizziness. Severe pulmonary irritation

Immediate effects from short term exposure:

Inhalation: Likely to be practically non-toxic based on animal data. No hazard in normal industrial use.

Skin Contact: Contact may result in defatting, redness, itching, inflammation, cracking, and possible secondary infection. High pressure skin injections are Serious Medical Emergencies. Injury may not appear serious at first; within a few hours, tissue will become swollen, discolored and extremely painful (see Notes to Doctor). Contact with heated material may cause thermal burns. This material is likely to be moderately irritating to skin based on animal data.

Eye Contact: This material is likely to be non-irritating to eyes based on animal data.

Ingestion: Estimated to be > 5.0 g/kg. No hazard in normal industrial use.

Sensitization No data available to indicate product or components may be a skin

Safety Data Sheet



Stock Number: MAG60138
 Date of the latest revision of the safety data sheet: 23-02-2022
 safety data sheet: 13-12-2021
 Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

sensitizer.

Delayed and chronic effects from long term exposure:

- Carcinogenicity:** Contains a substance that is a probable cancer hazard based on animal studies using doses likely to be encountered in the workplace.
- Reproductive and Developmental Toxicity:** Not known or reported to cause reproductive or developmental toxicity.
- Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
- STOT-single exposure:** Classification has been based on toxicological information of the components in Section 3.
- STOT-repeated exposure:** Classification has been based on toxicological information of the components in Section 3.
- Aspiration hazard:** Based on available data, the classification criteria are not met.
- Numerical measures of toxicity, including ATEs** Based on available data, the classification criteria are not met.

12 Ecological information

Ecotoxicity (aquatic and terrestrial, if available): Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

Ecological Toxicity Data:

Chemical Name	CAS registry number and any unique identifiers	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Naphthalene	91-20-3	EC50 (48h) Daphnia magna 2.16 mg/L	No data available	LC50 (96h) Rainbow Trout 1.6 mg/L
Light hydrocracked distillate	64741-77-1	No data available	No data available	LC50 (96h) BRACHYDANIO RERIO 7.3 mg/L
Kerosine, petroleum, hydrodesulfurized	64742-81-0	EC50 (48h) 4720 mg/L	No data available	LC50 (96h) 45 mg/L
Residual oils, petroleum, solvent-dewaxed	64742-62-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	No data available	No data available	LC50 (96h) BRACHYDANIO RERIO 7.3 mg/L
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	No data available	No data available	LC50 (96h) Pimephales

Safety Data Sheet



Stock Number: MAG60138
Date of the latest revision of the safety data sheet: 23-02-2022
 13-12-2021
Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

				promelas (Fathead Minnow) 35 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	EC50 (48h) Daphnia magna > 1000 mg/L	No data available	LC50 (96h) Rainbow Trout > 5000 mg/L

Persistence and degradability: Biodegrades slowly.
Bioaccumulative potential: Bioconcentration may occur.
Mobility in soil: This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.
Other adverse effects: None known.

13 Disposal considerations

Information on safe handling for disposal and methods of disposal, including any contaminated packaging: Spent or discarded material is non-hazardous according to environmental regulations.

14 Transport information

Transportation of Dangerous Goods by land (TDG):

UN number: Not regulated for road transport
UN Proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not regulated by IMDG
UN Proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable

International carriage of dangerous goods by air (IATA):

UN number: Not regulated by IATA
UN Proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable

Environmental hazards according to the International Maritime Dangerous Goods Code and the United Nations Model Regulations: Yes

Transport in bulk (according to Annex II of the International Convention for the Prevention of Pollution From Ships, No data available

Safety Data Sheet



Stock Number: MAG60138
 Date of the latest revision of the safety data sheet: 23-02-2022
 13-12-2021
 Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

1973, as modified by the Protocol of 1978 (MARPOL 73/78) and the International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (IBC Code):

Special precautions in connection with transport or conveyance either within or outside the premises: No data available

15 Regulatory information

Safety, health and environmental regulations, made within or outside Canada, specific to the product in question:

Canada - Domestic Substances List (DSL):

Chemical Name	CAS No	Canada - Domestic Substances List (DSL)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Yes
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	Yes
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	Yes
Distillates, petroleum, straight-run middle	64741-44-2	Yes
Kerosene	8008-20-6	Yes
Residual oils, petroleum, solvent-dewaxed	64742-62-7	Yes
Kerosine, petroleum, hydrodesulfurized	64742-81-0	Yes
Light hydrocracked distillate	64741-77-1	Yes
Naphthalene	91-20-3	Yes

Canada - Non-Domestic Substances List (NDSL):

Chemical Name	CAS No	Canada - Non-Domestic Substances List (NDSL)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	No
Distillates, petroleum,	68333-25-5	No

Safety Data Sheet



Stock Number: MAG60138
Date of the latest revision of the 23-02-2022
safety data sheet: 13-12-2021
Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

hydrodesulfurized light catalytic cracked		
Distillates, petroleum, straight-run middle	64741-44-2	No
Kerosene	8008-20-6	No
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No
Kerosine, petroleum, hydrodesulfurized	64742-81-0	No
Light hydrocracked distillate	64741-77-1	No
Naphthalene	91-20-3	No

Canada - Controlled Drugs and Substances:

Chemical Name	CAS No	Schedule I	Schedule II	Schedule III	Schedule IV	Schedule V	Schedule VII	Schedule VIII
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No	No	No	No
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	No	No	No	No	No	No	No
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	No	No	No	No	No	No	No
Distillates, petroleum, straight-run middle	64741-44-2	No	No	No	No	No	No	No
Kerosene	8008-20-6	No	No	No	No	No	No	No
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No	No	No	No	No	No	No
Kerosine, petroleum, hydrodesulfurized	64742-81-0	No	No	No	No	No	No	No
Light hydrocracked distillate	64741-77-1	No	No	No	No	No	No	No
Naphthalene	91-20-3	No	No	No	No	No	No	No

Chemical Name	CAS No	Class A Precursors	Class B Precursors	Exempt Precursors	Class 1 Targeted Substances	Class 2 Targeted Substances
Petroleum distillates, hydrotreated heavy	64742-54-7	No	No	No	No	No

Safety Data Sheet



Stock Number: MAG60138
 Date of the latest revision of the safety data sheet: 23-02-2022
 13-12-2021
 Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

paraffinic						
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	No	No	No	No	No
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	No	No	No	No	No
Distillates, petroleum, straight-run middle	64741-44-2	No	No	No	No	No
Kerosene	8008-20-6	No	No	No	No	No
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No	No	No	No	No
Kerosine, petroleum, hydrodesulfurized	64742-81-0	No	No	No	No	No
Light hydrocracked distillate	64741-77-1	No	No	No	No	No
Naphthalene	91-20-3	No	No	No	No	No

Canada - CEPA - Schedule III Export Control List:

Chemical Name	CAS No	Part 1 Prohibited Substances	Part 2 Substances Subject to Notification or Consent	Part 3 Restricted Substances	Export Control List
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No	No	No	No
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	No	No	No	No
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	No	No	No	No
Distillates, petroleum, straight-run middle	64741-44-2	No	No	No	No
Kerosene	8008-20-6	No	No	No	No
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No	No	No	No
Kerosine, petroleum,	64742-81-0	No	No	No	No

Safety Data Sheet



Stock Number: MAG60138
 Date of the latest revision of the safety data sheet: 23-02-2022
 safety data sheet: 13-12-2021
 Supercedes:

MAG 1 UNIV 2-CYCLE 12/ 8OZ

hydrodesulfurized					
Light hydrocracked distillate	64741-77-1	No	No	No	No
Naphthalene	91-20-3	No	No	No	No

Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting:

Chemical Name	CAS No	Canada CEPA - 2015 Greenhouse Gases (GHG) Subject to Mandatory Reporting
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	No
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	No
Distillates, petroleum, straight-run middle	64741-44-2	No
Kerosene	8008-20-6	No
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No
Kerosine, petroleum, hydrodesulfurized	64742-81-0	No
Light hydrocracked distillate	64741-77-1	No
Naphthalene	91-20-3	No

Canada - Narcotic Control Regulations (C.R.C., c. 1041):

Chemical Name	CAS No	Canada - Narcotic Control Regulations (C.R.C., c. 1041)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	No
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	No
Distillates, petroleum, straight-run	64741-44-2	No

Safety Data Sheet



Stock Number: MAG60138
 Date of the latest revision of the safety data sheet: 23-02-2022
 13-12-2021
 Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

middle		
Kerosene	8008-20-6	No
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No
Kerosine, petroleum, hydrodesulfurized	64742-81-0	No
Light hydrocracked distillate	64741-77-1	No
Naphthalene	91-20-3	No

Canada - Ontario - Toxics Reduction - List of Priority Toxics:

Chemical Name	CAS No	Canada - Ontario - Toxics Reduction - List of Priority Toxics
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	No
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	No
Distillates, petroleum, straight-run middle	64741-44-2	No
Kerosene	8008-20-6	No
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No
Kerosine, petroleum, hydrodesulfurized	64742-81-0	No
Light hydrocracked distillate	64741-77-1	No
Naphthalene	91-20-3	No

Stockholm Convention on Persistent Organic Pollutants:

Chemical Name	CAS No	Stockholm Convention on Persistent Organic Pollutants
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	No
Distillates, petroleum,	68333-25-5	No

Safety Data Sheet



Stock Number: MAG60138
 Date of the latest revision of the safety data sheet: 23-02-2022
 13-12-2021
 Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

hydrodesulfurized light catalytic cracked		
Distillates, petroleum, straight-run middle	64741-44-2	No
Kerosene	8008-20-6	No
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No
Kerosine, petroleum, hydrodesulfurized	64742-81-0	No
Light hydrocracked distillate	64741-77-1	No
Naphthalene	91-20-3	No

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade:

Chemical Name	CAS No	Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade .
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	No
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	No
Distillates, petroleum, straight-run middle	64741-44-2	No
Kerosene	8008-20-6	No
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No
Kerosine, petroleum, hydrodesulfurized	64742-81-0	No
Light hydrocracked distillate	64741-77-1	No
Naphthalene	91-20-3	No

Safety Data Sheet



Stock Number: MAG60138
 Date of the latest revision of the safety data sheet: 23-02-2022
 13-12-2021
 Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs):

Chemical Name	CAS No	(United Nations) - Kyoto Protocol - Convention on Climate Change - Greenhouse Gases (GHGs)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	No
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	No
Distillates, petroleum, straight-run middle	64741-44-2	No
Kerosene	8008-20-6	No
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No
Kerosine, petroleum, hydrodesulfurized	64742-81-0	No
Light hydrocracked distillate	64741-77-1	No
Naphthalene	91-20-3	No

Montreal Protocol on Substances that Deplete the Ozone Layer:

Chemical Name	CAS No	Montreal Protocol on Substances that Deplete the Ozone Layer
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	No
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	No
Distillates, petroleum, straight-run middle	64741-44-2	No
Kerosene	8008-20-6	No
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No
Kerosine, petroleum,	64742-81-0	No

Safety Data Sheet



Stock Number: MAG60138
Date of the latest revision of the 23-02-2022
safety data sheet: 13-12-2021
Supercedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

hydrodesulfurized		
Light hydrocracked distillate	64741-77-1	No
Naphthalene	91-20-3	No

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal:

Chemical Name	CAS No	Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	No
Distillates, petroleum, hydrodesulfurized middle	64742-80-9	No
Distillates, petroleum, hydrodesulfurized light catalytic cracked	68333-25-5	No
Distillates, petroleum, straight-run middle	64741-44-2	No
Kerosene	8008-20-6	No
Residual oils, petroleum, solvent-dewaxed	64742-62-7	No
Kerosine, petroleum, hydrodesulfurized	64742-81-0	No
Light hydrocracked distillate	64741-77-1	No
Naphthalene	91-20-3	No

16 Other information

Date of the latest revision of the safety data sheet: 23-02-2022
Revision Number: 2
Reason for revision: Activated by Document Formulation Generation
Disclaimer: This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in

Safety Data Sheet



Stock Number: MAG60138
Date of the latest revision of the 23-02-2022
safety data sheet: 13-12-2021
Supersedes:

M AG 1 UNIV 2-CYCLE 12/ 8OZ

this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.